Connecting via Winsock to STN

STN SEARCH OF REGISTRY COMPOUNDS OF THE INSTANT
APPLICATION, CROSSED WITH THE REGISTRY/CAPLUS
DATABASE

Welcome to STN International! Enter x:x

LOGINID:SSPTAJMN1626

## PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
NEWS 1
                Web Page for STN Seminar Schedule - N. America
NEWS 2 JAN 02 STN pricing information for 2008 now available
NEWS 3 JAN 16
                CAS patent coverage enhanced to include exemplified
                prophetic substances
NEWS 4 JAN 28 USPATFULL, USPAT2, and USPATOLD enhanced with new
                custom IPC display formats
NEWS 5 JAN 28 MARPAT searching enhanced
NEWS 6 JAN 28 USGENE now provides USPTO sequence data within 3 days
                of publication
NEWS 7 JAN 28 TOXCENTER enhanced with reloaded MEDLINE segment
NEWS 8 JAN 28 MEDLINE and LMEDLINE reloaded with enhancements
NEWS 9 FEB 08 STN Express, Version 8.3, now available
NEWS 10 FEB 20 PCI now available as a replacement to DPCI
NEWS 11 FEB 25 IFIREF reloaded with enhancements
NEWS 12 FEB 25 IMSPRODUCT reloaded with enhancements
NEWS 13 FEB 29 WPINDEX/WPIDS/WPIX enhanced with ECLA and current
                U.S. National Patent Classification
NEWS 14 MAR 31 IFICDB, IFIPAT, and IFIUDB enhanced with new custom
                IPC display formats
NEWS 15 MAR 31 CAS REGISTRY enhanced with additional experimental
                spectra
NEWS 16 MAR 31 CA/Caplus and CASREACT patent number format for U.S.
                applications updated
NEWS 17 MAR 31 LPCI now available as a replacement to LDPCI
NEWS 18 MAR 31 EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS 19 APR 04 STN AnaVist, Version 1, to be discontinued
NEWS 20 APR 15 WPIDS, WPINDEX, and WPIX enhanced with new
                predefined hit display formats
NEWS 21 APR 28 EMBASE Controlled Term thesaurus enhanced
NEWS 22 APR 28 IMSRESEARCH reloaded with enhancements
NEWS EXPRESS FEBRUARY 08 CURRENT WINDOWS VERSION IS V8.3.
            AND CURRENT DISCOVER FILE IS DATED 20 FEBRUARY 2008
NEWS HOURS
             STN Operating Hours Plus Help Desk Availability
NEWS LOGIN
             Welcome Banner and News Items
NEWS IPC8
            For general information regarding STN implementation of IPC 8
```

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 16:32:55 ON 02 MAY 2008

=> FIL CAPLUS

COST IN U.S. DOLLARS FILL ESTIMATED COST

SINCE FILE ENTRY

SESSION 0.42 0.42

TOTAL.

FILE 'CAPLUS' ENTERED AT 16:33:52 ON 02 MAY 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 2 May 2008 VOL 148 ISS 19 FILE LAST UPDATED: 1 May 2008 (20080501/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> S US 2004-541502/AP L1

0 US 2004-541502/AP (US2004-541502/AP)

=> S US 2005-541502/AP 1.2

1 US 2005-541502/AP (US2005-541502/AP)

=> SEL RN

E1 THROUGH E220 ASSIGNED

=> FIL REG

COST IN U.S. DOLLARS FULL ESTIMATED COST

SINCE FILE TOTAL ENTRY SESSION 4.81 5.23

FILE 'REGISTRY' ENTERED AT 16:34:44 ON 02 MAY 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 1 MAY 2008 HIGHEST RN 1018897-91-0
DICTIONARY FILE UPDATES: 1 MAY 2008 HIGHEST RN 1018897-91-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

```
=> S E1-E220
              1 103986-96-5/BI
                  (103986-96-5/RN)
              1 105-36-2/BI
                  (105-36-2/RN)
              1 105731-18-8/BI
                  (105731-18-8/RN)
              1 1068-55-9/BI
                  (1068-55-9/RN)
              1 108-95-2/BI
                  (108-95-2/RN)
              1 109544-12-9/BI
                  (109544-12-9/RN)
              1 116621-16-0/BI
                  (116621-16-0/RN)
              1 1215-59-4/BI
                  (1215-59-4/RN)
              1 141-97-9/BI
                  (141-97-9/RN)
              1 15570-12-4/BI
                  (15570-12-4/RN)
              1 156275-96-6/BI
                  (156275-96-6/RN)
              1 15903-94-3/BI
                  (15903-94-3/RN)
              1 16768-98-2/BI
                  (16768-98-2/RN)
              1 16769-00-9/BI
                  (16769-00-9/RN)
              1 16830-62-9/BI
                  (16830-62-9/RN)
              1 17071-29-3/BI
                  (17071-29-3/RN)
```

1 17295-11-3/BT

```
(17295-11-3/RN)
1 17422-12-7/BI
    (17422-12-7/RN)
1 174258-39-0/BI
    (174258-39-0/RN)
1 175277-03-9/BI
    (175277-03-9/RN)
1 22246-17-9/BI
   (22246-17-9/RN)
1 22246-18-0/BI
    (22246-18-0/RN)
1 22246-83-9/BI
    (22246-83-9/RN)
1 22246-84-0/BI
    (22246-84-0/RN)
1 2605-67-6/BI
    (2605-67-6/RN)
1 26197-93-3/BI
    (26197-93-3/RN)
1 292056-25-8/BI
    (292056-25-8/RN)
1 317318-96-0/BI
    (317318-96-0/RN)
1 317318-97-1/BT
    (317318-97-1/RN)
1 317319-04-3/BI
    (317319-04-3/RN)
1 317319-26-9/BI
    (317319-26-9/RN)
1 3249-68-1/BI
    (3249-68-1/RN)
1 329-15-7/BI
    (329-15-7/RN)
1 35391-60-7/BI
    (35391-60-7/RN)
1 39815-78-6/BI
    (39815-78-6/RN)
1 402933-28-2/BI
    (402933-28-2/RN)
1 402933-29-3/BI
    (402933-29-3/RN)
1 438577-61-8/BI
    (438577-61-8/RN)
1 438577-62-9/BI
    (438577-62-9/RN)
1 444612-58-2/BI
    (444612-58-2/RN)
1 447406-53-3/BI
    (447406-53-3/RN)
1 455-24-3/BI
    (455-24-3/RN)
1 476154-35-5/BI
    (476154-35-5/RN)
1 476155-31-4/BI
    (476155-31-4/RN)
1 477771-97-4/BI
```

(477771-97-4/RN)

- 1 5043-02-7/BI
- (5043-02-7/RN) 1 524735-91-9/BI
- (524735-91-9/RN)
- 1 52851-15-7/BI
- (52851-15-7/RN)
- 1 5292-43-3/BI (5292-43-3/RN)
- 1 5344-78-5/BI
- (5344-78-5/RN)
- 1 535-11-5/BI
- (535-11-5/RN)
- 1 54197-66-9/BI (54197-66-9/RN)
- 1 54356-04-6/BI
- (54356-04-6/RN)
- 1 583883-82-3/BI
- (583883-82-3/RN)
- 1 586-76-5/BI
- (586-76-5/RN)
- 1 591774-49-1/BI
- (591774-49-1/RN)
- 1 591774-50-4/BI
  - (591774-50-4/RN) 1 591774-53-7/BT
  - (591774-53-7/RN)
  - 1 591774-54-8/BI
  - (591774-54-8/RN)
  - 1 591774-55-9/BI
- (591774-55-9/RN)
- 1 591774-56-0/BI
- (591774-56-0/RN)
- 1 591774-57-1/BI
- (591774-57-1/RN) 1 591774-58-2/BI
- (591774-58-2/RN)
- 1 591774-59-3/BI
- (591774-59-3/RN)
- 1 591774-60-6/BI
- (591774-60-6/RN) 1 591774-61-7/BI
- (591774-61-7/RN)
- 1 591774-62-8/BI
- (591774-62-8/RN)
- 1 591774-63-9/BI
- (591774-63-9/RN) 1 591774-64-0/BI
- (591774-64-0/RN)
- 1 591774-66-2/BI
- (591774-66-2/RN)
- 1 591774-67-3/BI
- (591774-67-3/RN)
- 1 591774-68-4/BI
- (591774-68-4/RN)
- 1 591774-69-5/BT
- (591774-69-5/RN)
- 1 591774-70-8/BT

(591774-70-8/RN) 1 591774-71-9/BI (591774-71-9/RN) 1 591774-72-0/BI (591774-72-0/RN) 1 591774-73-1/BI (591774-73-1/RN) 1 591774-74-2/BI (591774-74-2/RN) 1 591774-75-3/BI (591774-75-3/RN) 1 591774-76-4/BI (591774-76-4/RN) 1 591774-77-5/BI (591774-77-5/RN) 1 591774-78-6/BI (591774-78-6/RN) 1 591774-79-7/BI (591774-79-7/RN) 1 591774-80-0/BI (591774-80-0/RN) 1 591774-81-1/BI (591774-81-1/RN) 1 591774-82-2/BT (591774-82-2/RN) 1 591774-83-3/BI (591774-83-3/RN) 1 591774-84-4/BI (591774-84-4/RN) 1 591774-85-5/BI (591774-85-5/RN) 1 591774-86-6/BI (591774-86-6/RN) 1 591774-87-7/BI (591774-87-7/RN) 1 591774-88-8/BI (591774-88-8/RN) 1 591774-89-9/BI (591774-89-9/RN) 1 591774-90-2/BI (591774-90-2/RN) 1 591774-91-3/BI (591774-91-3/RN) 1 591774-92-4/BT (591774-92-4/RN) 1 591774-93-5/BI (591774-93-5/RN) 1 591774-94-6/BI (591774-94-6/RN) 1 591774-95-7/BI (591774-95-7/RN) 1 591774-96-8/BI (591774-96-8/RN) 1 591774-97-9/BI (591774-97-9/RN)

1 591774-98-0/BI (591774-98-0/RN) 1 591774-99-1/BT (591774-99-1/RN) 1 591775-00-7/BI (591775-00-7/RN) 1 591775-01-8/BI (591775-01-8/RN) 1 591775-02-9/BI (591775-02-9/RN) 1 591775-03-0/BI (591775-03-0/RN) 1 591775-04-1/BI (591775-04-1/RN) 1 591775-05-2/BI (591775-05-2/RN) 1 592518-59-7/BI (592518-59-7/RN) 1 592518-60-0/BI (592518-60-0/RN) 1 592518-61-1/BI (592518-61-1/RN) 1 592518-62-2/BI (592518-62-2/RN) 1 592518-70-2/BI (592518-70-2/RN) 1 592518-71-3/BI (592518-71-3/RN) 1 609-15-4/BI (609-15-4/RN) 1 61291-89-2/BI (61291-89-2/RN) 1 6272-26-0/BI (6272-26-0/RN) 1 638-07-3/BI (638-07-3/RN) 1 7152-15-0/BI (7152-15-0/RN) 1 72505-21-6/BI (72505-21-6/RN) 1 726174-41-0/BI (726174-41-0/RN) 1 726174-42-1/BI (726174-42-1/RN) 1 726174-43-2/BI (726174-43-2/RN) 1 726174-44-3/BT (726174-44-3/RN) 1 726174-45-4/BI (726174-45-4/RN) 1 726174-46-5/BI (726174-46-5/RN) 1 726174-47-6/BI (726174-47-6/RN) 1 726174-48-7/BI

(726174-48-7/RN) 1 726174-49-8/BI (726174-49-8/RN) 1 726174-50-1/BI

(726174-50-1/RN) 1 726174-51-2/BI (726174-51-2/RN) 1 726174-52-3/BI (726174-52-3/RN) 1 726174-53-4/BI (726174-53-4/RN) 1 726174-54-5/BI (726174-54-5/RN) 1 726174-55-6/BI (726174-55-6/RN) 1 726174-56-7/BI (726174-56-7/RN) 1 726174-57-8/BI (726174-57-8/RN) 1 726174-58-9/BI (726174-58-9/RN) 1 726174-60-3/BI (726174-60-3/RN) 1 726174-61-4/BI (726174-61-4/RN) 1 726174-62-5/BI (726174-62-5/RN) 1 726174-63-6/BT (726174-63-6/RN) 1 726174-64-7/BI (726174-64-7/RN) 1 726174-65-8/BI (726174-65-8/RN) 1 726174-66-9/BI (726174-66-9/RN) 1 726174-67-0/BI (726174-67-0/RN) 1 726174-68-1/BI (726174-68-1/RN) 1 726174-69-2/BI (726174-69-2/RN) 1 726174-70-5/BI (726174-70-5/RN) 1 726174-71-6/BI (726174-71-6/RN) 1 726174-72-7/BI (726174-72-7/RN) 1 726174-73-8/BT (726174-73-8/RN) 1 726174-74-9/BI (726174-74-9/RN) 1 726174-75-0/BI (726174-75-0/RN) 1 726174-76-1/BI (726174-76-1/RN) 1 726174-77-2/BI (726174-77-2/RN) 1 726174-78-3/BI

(726174-78-3/RN) 1 726174-79-4/BI (726174-79-4/RN)

Searched by Jason M. Nolan, Ph.D.

- 1 726174-80-7/BT
- (726174-80-7/RN)
- 1 726174-81-8/BI (726174-81-8/RN)
- 1 726174-83-0/BI
- (726174-83-0/RN)
- 1 726174-84-1/BI
- (726174-84-1/RN) 1 726174-85-2/BI
- (726174-85-2/RN)
- 1 726174-86-3/BI
- (726174-86-3/RN)
- 1 726174-87-4/BI
- (726174-87-4/RN)
- 1 726174-88-5/BI
- (726174-88-5/RN) 1 726174-89-6/BI
- (726174-89-6/RN)
- 1 726174-90-9/BI
- (726174-90-9/RN)
- 1 726174-91-0/BI
- (726174-91-0/RN)
- 1 726174-92-1/BI
- (726174-92-1/RN)
- 1 726174-93-2/BT
- (726174-93-2/RN)
- 1 726174-94-3/BI
- (726174-94-3/RN) 1 726174-95-4/BI
- (726174-95-4/RN)
- 1 726174-96-5/BI
- (726174-96-5/RN) 1 726174-97-6/BI
- (726174-97-6/RN)
- 1 726174-98-7/BI
- (726174-98-7/RN) 1 726174-99-8/BI
- (726174-99-8/RN)
- 1 726175-00-4/BI
- (726175-00-4/RN)
- 1 726175-01-5/BI
- (726175-01-5/RN)
- 1 726175-02-6/BI
- (726175-02-6/RN)
- 1 726175-03-7/BT (726175-03-7/RN)
- 1 726175-04-8/BI
- (726175-04-8/RN)
- 1 726175-05-9/BI
- (726175-05-9/RN)
- 1 726175-06-0/BI
- (726175-06-0/RN)
- 1 726175-07-1/BI
- (726175-07-1/RN)
- 1 726175-08-2/BT (726175-08-2/RN)
- 1 726175-09-3/BT

(726175-09-3/RN) 1 726175-10-6/BI (726175-10-6/RN) 1 726175-12-8/BI (726175-12-8/RN) 1 726175-13-9/BI (726175-13-9/RN) 1 726175-14-0/BI (726175-14-0/RN) 1 726175-15-1/BI (726175-15-1/RN) 1 726175-16-2/BI (726175-16-2/RN) 1 726175-17-3/BI (726175-17-3/RN) 1 726175-18-4/BI (726175-18-4/RN) 1 726175-19-5/BI (726175-19-5/RN) 1 726175-20-8/BI (726175-20-8/RN) 1 726175-21-9/BI (726175-21-9/RN) 1 726175-22-0/BT (726175-22-0/RN) 1 726175-23-1/BI (726175-23-1/RN) 1 726175-24-2/BI (726175-24-2/RN) 1 726175-25-3/BI (726175-25-3/RN) 1 726175-26-4/BI (726175-26-4/RN) 1 726175-27-5/BI (726175-27-5/RN) 1 726175-28-6/BI (726175-28-6/RN) 1 726175-29-7/BI (726175-29-7/RN) 1 726175-30-0/BI (726175-30-0/RN) 1 726175-31-1/BI (726175-31-1/RN) 1 726175-32-2/BT (726175-32-2/RN) 1 726175-33-3/BI (726175-33-3/RN) 1 726175-34-4/BI (726175-34-4/RN) 1 726175-35-5/BI (726175-35-5/RN) 1 726175-36-6/BI (726175-36-6/RN) 1 726175-37-7/BI

(726175-37-7/RN) 1 73852-19-4/BI (73852-19-4/RN) 05/02/2008

1 75893-83-3/BI (75893-83-3/RN) 1 7625-53-8/BI (7625-53-8/RN) 1 79426-72-5/BI (79426-72-5/RN) 1 81569-51-9/BI

(81569-51-9/RN) L3 220 (103986-96-5/BI O

220 (103986-96-5/BI OR 105-36-2/BI OR 105731-18-8/BI OR 1068-55-9/BI OR 108-95-2/BI OR 109544-12-9/BI OR 116621-16-0/BI OR 1215-59-4 /BI OR 141-97-9/BI OR 15570-12-4/BI OR 156275-96-6/BI OR 15903-9 4-3/BI OR 16768-98-2/BI OR 16769-00-9/BI OR 16830-62-9/BI OR 17071-29-3/BI OR 17295-11-3/BI OR 17422-12-7/BI OR 174258-39-0/B I OR 175277-03-9/BI OR 22246-17-9/BI OR 22246-18-0/BI OR 22246-8 3-9/BI OR 22246-84-0/BI OR 2605-67-6/BI OR 26197-93-3/BI OR 2920 56-25-8/BI OR 317318-96-0/BI OR 317318-97-1/BI OR 317319-04-3/BI OR 317319-26-9/BI OR 3249-68-1/BI OR 329-15-7/BI OR 35391-60-7/ BI OR 39815-78-6/BI OR 402933-28-2/BI OR 402933-29-3/BI OR 43857 7-61-8/BI OR 438577-62-9/BI OR 444612-58-2/BI OR 447406-53-3/BI OR 455-24-3/BI OR 476154-35-5/BI OR 476155-31-4/BI OR 477771-97-4/BI OR 5043-02-7/BI OR 524735-91-9/BI OR 52851-15-7/BI OR 5292-43-3/BI OR 5344-78-5/BI OR 535-11-5/BI OR 54197-66-9/BI OR 54356 -04-6/BI OR 583883-82-3/BI OR 586-76-5/BI OR 591774-49-1/BI OR 591774-50-4/BT OR 591774-53-7/BT

=>

Uploading C:\Program Files\Stnexp\Queries\10541502\1.str





ring nodes:
1 2 3 4 5 6 7 8 9
ring bonds:
1-2 1-6 2-3 2-7 3-4 3-9 4-5 5-6 7-8 8-9
exact/norm bonds:
2-7 3-9 7-8 8-9
normalized bonds:
1-2 1-6 2-3 3-4 4-5 5-6


Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom

## L4 STRUCTURE UPLOADED

\_.


Uploading C:\Program Files\Stnexp\Queries\10541502\2.str



1 2 3 4 5 6 7 8 9 10 11 12 13 14 ring bonds: 1-2 1-6 2-3 2-7 3-4 3-9 4-5 5-6 7-8 8-9 10-11 10-14 11-12 12-13 13-14

exact/norm bonds : 2-7 3-9 7-8 8-9 10-11 10-14 11-12 12-13 13-14 normalized bonds : 1-2 1-6 2-3 3-4 4-5 5-6

Match level: 1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom 12:Atom 13:Atom 14:Atom



Structure attributes must be viewed using STN Express query preparation.



=> D L6 TOT

- L6 ANDMER 1 OF 13 EMISTRY COPYRIGHT 2008 ACS on ETH 2007 ACS O

- CA SIN Files: CA, CAPLUS, USPATFULL

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\* 1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

CA SIN Files: CA, CAPLOS, OSPATFOLL

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\* 1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPAGE (1907 TO DATE)

- CAS REA FOR A CASE OF A CA

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

- ARREST (4 TI INDIPET CONTINUE 2009 ACT on PTI TATIS-1-1-1 DESIGN CONTINUE 2009 ACT OF THE ARREST CONTINUE ACT OF THE ARREST CONTI
- Absolute stereochemistry.

"PROPERTY DATA AVAILABLE IN THE "PROP" FORMAT""

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

E (MMES)

[B) = (4-[2-(5-bethyl-2-(4-trifluoromethylphemyl)thiarol-4-ylpropoxylbenro[b]thiophem-3-yl]ethiroic acid
STERIORIANCE

COLUMN TS N OS S2

CA STN Fales: CA, CAPLUS, USPATFULL

Absolute stereochemistry.

\*PROPERTY DATA AVAILABLE IN THE \*PROP\* FORMAT\*\*

ADMRE COT 12 EMILETY CONTRICAT 2008 MCS on STR 7811-1-77 MINETED BERNESS AND ASSESSED ASSES

CA STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.

""PROPERTY DATA AVAILABLE IN THE "PROP" FORMAT" 1 REFERENCES IN FILE CA (1907 TO DATE) 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

ADDRESS 1 Of 13 MEDISTAY COSTRICTOR 2008 ACS ON STREET TO STREET MADE ACCOUNTS 1000 ACS ON STREET MADE ACCOUNTS 1000 ACS ON STREET MADE ACCOUNTS 1000 ACCOUN

CA STN Files: CA, CAPLUS, USPATFULL

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' POPMA

1 REFERENCES IN FILE CA (1907 TO DATE) 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

CZE HZw FJ m Oc. ... CA STN Files: CA, CAFLUS, USFATFULL

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\* 1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPAUS (1907 TO DATE)

- JR MANUES: [6-[1-(4-laopropyl-2-(4-trifluoromethylphenyl)thiazol-5-yl]ethoxy|benzo|b]thiophen-2-yl]acetic acid C25 g22 F3 N OJ S2
- CA SIN Files: CA, CAPLUS, USPATFULL

\*\*PROPERTY DATA AVAILABLE IN THE "PROP" FORMAT\*\* 1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

- ANNUAL II OF 13 REGISTRY COPFICENT 1008 ACS on STR 782174-51 REGISTRY COPFICENT 1008 ACS on STR 782174-51 REGISTRY COPFICENT 1008 ACS on STR 782174-51 REGISTRY COPFICENT 1008 ACS on STR 182174-51 REGISTRY COPFICENT 1008 ACS ON THE ST
- CA SIN Files: CA, CAPLUS, USPATFULL

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\* 1 REFERENCES IN FILE CA (1907 TO DATE) 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

- AMEMMER 10 OF 13 REGISTRY COPTRIGHT 2008 M/S on STN 758174-68-9 REGISTRY Forered ZPH: 13 Aug 2004 Forered ZPH: 13 Aug 2004 Forered ZPH: 15 Aug 2004 Forered ZPH: 14 Aug 2004 Forered ZPH: 14 Aug 2004 Forered ZPH: 15 Aug 200
- NOMES:

  | NOMESS:
  | NOMESS

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' POPMAT\* 1 REFERENCES IN FILE CA (1907 TO DATE) 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

- M Files: CA, CAPLUS, USPATFULL

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\* 1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

- | Model 1 0 11 MODELTH COFFICING 3000 ACS as EVE | Model 1 0 11 Model 2000 ACS as EVE | Model 2001 13 Acc 2001 Acc 2001 ACS as EVE | Model 2001 13 Acc 2001 Acc 2001

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' PORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE) 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> FIL CAPLUS COST IN U.S. DOLLARS FULL ESTIMATED COST

SINCE FILE TOTAL ENTRY SESSION 208.96 214.19

FILE 'CAPLUS' ENTERED AT 16:41:36 ON 02 MAY 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is heald by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 2 May 2008 VOL 148 ISS 19 FILE LAST UPDATED: 1 May 2008 (20080501/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicv.html

=> D HIS

(FILE 'HOME' ENTERED AT 16:32:55 ON 02 MAY 2008)

FILE 'CAPLUS' ENTERED AT 16:33:52 ON 02 MAY 2008 L1 0 S US 2004-541502/AP L2 1 S US 2005-541502/AP

SEL RN

```
FILE 'REGISTRY' ENTERED AT 16:34:44 ON 02 MAY 2008
L3
           220 S E1-E220
               STRUCTURE UPLOADED
L4
L5
               STRUCTURE UPLOADED
L6
            13 S L5 FULL SUB=L3
L7
            50 S L6
L8
             1 S 726175-33-3/RN
L9
             1 S 726175-24-2/RN
L10
             1 S 726174-75-0/RN
L11
             1 S 726174-74-9/RN
L12
             1 S 726174-73-8/RN
L13
             1 S 726174-72-7/RN
    FILE 'CAPLUS' ENTERED AT 16:41:36 ON 02 MAY 2008
=> S L6
            1 L6
L14
=> S L8
            1 L8
L15
=> S L8 FULL
T-16
            1 1.8
=> S L9
L17
            1 L9
=> S L10
L18
            1 L10
=>
---Logging off of STN---
Executing the logoff script...
=> LOG Y
COST IN U.S. DOLLARS
                                                SINCE FILE
                                                               TOTAL
                                                    ENTRY
                                                            SESSION
FULL ESTIMATED COST
                                                     3.36
                                                             217.55
STN INTERNATIONAL LOGOFF AT 16:45:33 ON 02 MAY 2008
```